

**TOWN OF ACTON**  
**HAZARDOUS MATERIALS CONTROL**  
**ANNUAL PERMIT APPLICATION**

APRIL 2012



#3701



Site Address	Mailing Address
Rt 27 Gas 0 Great Road Acton, MA 01720	C/O Vincent Cuttone 205 Willow St Waltham, MA 02453
Category: 2,4,8,12	Fee: \$370.00

**Hazardous Materials Permitting Categories (Renewal)**

- |   |  |
|---|--|
| 1. Hazardous Waste Generator (\$65)       | 2. Small Hazardous Waste Generator (\$45)  |
| 3. Hazardous Materials Generator (\$65)   | 4. Hazardous Materials User (\$45)         |
| 5. Discharge Permit (\$140)               | 6. Remediation Permit (\$140)              |
| 7. Hazardous Waste User (\$65)            | 8. Haz. Mat. Storer Large Industry (\$235) |
| 9. Haz. Mat. Storer Small Industry (160)  | 10. Haz. Mat. Storer Large Retail (\$170)  |
| 11. Haz. Mat. Storer Small Retail (\$140) | 12. Haz. Waste Storer Industry (\$65)      |
| 13. Haz. Waste Storer Retail (\$45)       | 14. Haz Waste Storer Lge. Industry (65)    |

- Are MSDS's readily available on-site? Yes ☒ No ☐
- Is employee personal protective equipment available on site? Yes ☒ No ☐
- Are emergency procedures posted? Yes ☒ No ☐
- Do all hazardous materials have 110% secondary containment? Yes ☐ No ☐
- Are all materials and wastes clearly labeled? Yes ☒ No ☐
- Are spill cleanup materials available? Yes ☒ No ☐
- Do you have a copy of the Hazardous Materials Control Bylaw on site? Yes ☒ No ☐
- Are you contracting with a DEP licensed waste hauler (if applicable)? Yes ☐ No ☒

Name of hauler: \_\_\_\_\_

Address of hauler: \_\_\_\_\_

- Can you provide copies of waste shipping manifests if necessary? Yes ☒ No ☐
- Contact person for the site is Vincent Cuttone

I hereby certify on behalf of Rt 27 Gas Inc. the applicant for a permit or permit renewal from the Acton Board of Health pursuant to Chapter I of the Town of Acton General By-laws (the "Permit Application") that (a) the information contained in the Permit Application is true, accurate and complete, and (b) the facility located/operating at the above noted site address, Acton, MA and that is the subject of the Permit Application complies with the requirements for Approval of Hazardous Material Waste and Special Waste Permits as defined in section 3.5 of Chapter I of the Town of Acton General By-laws, Hazardous Materials Control, as amended.

\_\_\_\_\_  
 Authorized Signatory

4/6/12  
 Date

To the  
 Best of  
 Knowledge  
 (20)

5/1/2012

Expires 5/1/2013

Fee: **370.00**

**TOWN OF ACTON  
PERMIT  
HAZARDOUS MATERIALS CONTROL BYLAW**

Is hereby granted a permit to store and use Hazardous Materials at **Rt 27 Gas, 0 Great Road**, Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: **2,4,8,12**

\*See below explanation of permit categories

**HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES**

<u>Category</u>	<u>Initial</u>	<u>Renewal</u>
1. Large Hazardous Waste Generator	\$160	\$65
2. Small Hazardous Waste Generator	\$60	\$45
3. Hazardous Materials Generator	\$160	\$65
4. Hazardous Materials User	\$50	\$45
5. Remediation Discharge Permit	\$575	\$140
6. Remediation Permit	\$595	\$140
7. Hazardous Waste User	\$160	\$65
8. Hazardous Materials Storer Large Industry	\$510	\$235
9. Hazardous Materials Storer Small Industry	\$360	\$160
10. Hazardous Materials Storer Large Retail	\$430	\$170
11. Hazardous Materials Storer Small Retail	\$305	\$160
12. Hazardous Waste Storer Small Industry	\$160	\$65
13. Hazardous Waste Storer Retail	\$60	\$45
14. Hazardous Waste Storer Large Industry	\$160	\$65

## **HAZARDOUS MATERIALS CONTROL PERMIT**

### **List of Conditions:**

**Route 27 Gas, Inc.  
332 Great Road  
Acton, MA 01720**

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
9. Floor cleaning procedures and bathroom sanitation products shall use only nontoxic and biodegradable cleaning compounds.
10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.

15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
18. D.E.P. Generator Registration shall be provided annually upon renewal of the Hazardous Materials Storage Permit.
21. Gas cylinders shall not be rolled, even for short distances. They shall be moved by a suitable hand truck, in accordance with an OSHA standard that applies.
25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.
35. All reports sent to D.E.P. or E.P.A., in regards to a waste site clean up, shall also be submitted to the Board of Health.
37. The remediation discharge shall meet, or exceed, the Acton Water District standards for drinking water at all times.